

### FORMATI

Sizes | Formats | Formate | Tamaños | Форматы

9,5 mm.

60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>" Naturale R10 - Tecnica R11

60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>" Naturale R10 - Tecnica R11

30x60 - 11<sup>13/16</sup>"x23<sup>5/8</sup>" Naturale R10 - Tecnica R11

MULTI PRESTIGE BRECCIATO Naturale R10 - Tecnica R11

### 20MM

60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>" Naturale R11

### SUPERFICI

Finishes | Finitions | Oberflächen | Superficies | Отделка поверхности

#### NATURALE

R10 DIN EN 16165 Annex B

B (A+B) DIN EN 16165 Annex A

Wet  $\geq$  0,50 DCOF

> 0,40 B.C.R.A.

P3 Pendolo AS 4586

> 36 Low Slip potential - Slider 96 Pendolo BS 7976

2 Pendolo UNE 41901

#### TECNICA | 20MM

R11 DIN EN 16165 Annex B

C (A+B+C) DIN EN 16165 Annex A

Wet  $\geq$  0,65 DCOF

> 0,40 B.C.R.A.

P4 Pendolo AS 4586

> 36 Low Slip potential - Both sliders Pendolo BS 7976

3 Pendolo UNE 41901

### SHADE VARIATIONS

V4 RANDOM


### DESTINAZIONI D'USO

Intended uses | Domaines d'application  
Zweckbestimmung | Usos previstos | Назначение



25% 20MM  
15% 9.5 mm  
valori medi - average values

### WHITE



### SAND



### GREIGE



### GREY



### SKY BLUE



### ANTHRACITE



# OROS STONE

## COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

### White



### Sand



### Greige



### Grey



### Sky Blue



### Anthracite



Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm.  
 Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.  
 Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes.  
 Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen.  
 Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.

# OROS STONE

## COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

9,5 mm.



### Naturale R10 Rett.

60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"

- EKL1 White ● T31
  - EKL2 Sand ● T31
  - EKL3 Greige ● T31
  - EKL4 Grey ● T31
  - EKU8 Sky Blue ● T31
  - EKU9 Anthracite ● T31
- up to 17 patterns

### Tecnica R11 Rett.

60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"

- EKLN White ● T31
  - EKLP Sand ● T31
  - EKLQ Greige ● T31
  - EKLR Grey ● T31
  - EKUJ Sky Blue ● T31
  - EKUK Anthracite ● T31
- up to 17 patterns



### Naturale R10 Rett.


60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>"

- EKL6 White ● T17
  - EKL7 Sand ● T17
  - EKL8 Greige ● T17
  - EKL9 Grey ● T17
  - EKUC Sky Blue ● T17
  - EKUD Anthracite ● T17
- up to 34 patterns

### Tecnica R11 Rett.

60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>"

- EKLT White ● T17
  - EKLU Sand ● T17
  - EKLV Greige ● T17
  - EKLW Grey ● T17
  - EKUM Sky Blue ● T17
  - EKUN Anthracite ● T17
- up to 34 patterns



### Naturale R10 Rett.

30x60 - 11<sup>13/16</sup>"x23<sup>5/8</sup>"

- EKLC White ● T14
  - EKLD Sand ● T14
  - EKLE Greige ● T14
  - EKLF Grey ● T14
  - EKUF Sky Blue ● T14
  - EKUG Anthracite ● T14
- up to 68 patterns

### Tecnica R11 Rett.

30x60 - 11<sup>13/16</sup>"x23<sup>5/8</sup>"

- EKLY White ● T14
  - EKLZ Sand ● T14
  - EKM0 Greige ● T14
  - EKM1 Grey ● T14
  - EKUQ Sky Blue ● T14
  - EKUR Anthracite ● T14
- up to 68 patterns

### MULTI PRESTIGE BRECCIATO



#### Naturale R10 Brecciato

- EL9M White ● T122
- EL9P Sand ● T122
- EL9Q Greige ● T122
- EL9R Grey ● T122
- EL9S Sky Blue ● T122
- EL9T Anthracite ● T122

#### Tecnica R11 Brecciato

- EL9V White ● T122
- EL9W Sand ● T122
- EL9X Greige ● T122
- EL9Y Grey ● T122
- EL9Z Sky Blue ● T122
- ELA0 Anthracite ● T122

1 pz./pcs 30x70 - 11<sup>13/16</sup>"x27<sup>9/16</sup>"

1 pz./pcs 30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"

1 pz./pcs 30x20 - 11<sup>13/16</sup>"x7<sup>7/8</sup>"

1 pz./pcs 20x70 - 7<sup>7/8</sup>"x27<sup>9/16</sup>"

1 pz./pcs 20x30 - 7<sup>7/8</sup>"x11<sup>13/16</sup>"

1 pz./pcs 20x20 - 7<sup>7/8</sup>"x7<sup>7/8</sup>"

1 pz./pcs 10x70 - 3<sup>15/16</sup>"x27<sup>9/16</sup>"

1 pz./pcs 10x30 - 3<sup>15/16</sup>"x11<sup>13/16</sup>"

1 pz./pcs 10x20 - 3<sup>15/16</sup>"x7<sup>7/8</sup>"

### 20MM



### Naturale R11 Rett.

60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"

- EL9E White ● T80
  - EL9F Sand ● T80
  - EL9G Greige ● T80
  - EL9H Grey ● T80
  - EL9K Anthracite ● T80
- up to 17 patterns

# OROS STONE

## DECORI

Decors | Decors | Dekore | Decorados | Декоры

**SPLITSTONE** Naturale R10 Rett.



60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
**EKW4** White  
8 patterns

● T37



60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
**EKW5** Sand  
8 patterns

● T37



60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
**EKW6** Greige  
8 patterns

● T37

# OROS STONE

## DECORI

Decors | Decors | Dekore | Decorados | Декоры

**SPLITSTONE** Naturale R10 Rett.



60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
**EKW7** Grey  
8 patterns

● T37



60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
**EKW8** Sky Blue  
8 patterns

● T37



60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
**EKW9** Anthracite  
8 patterns

● T37

**PEZZI SPECIALI**

Trims | Pieces Speciales | Formteile | Piezas Especiales | Специальные Изделия

	Dimensione Size				Fascia di prezzo Price band			
 Battiscopa - Skirting	<b>Naturale 10 Rett.</b> 7x60 - 2 <sup>3/4</sup> x23 <sup>5/8</sup> Pos. Box 15 - LM x Box 9,00	White <b>EL1X</b>	Sand <b>EL1Y</b>	Greige <b>EL1Z</b>	● <b>A11</b>			
 Gradino - Stair Tread	<b>Naturale 10 Rett.</b> 33x120 - 12 <sup>5/16</sup> x47 <sup>1/4</sup> Pos. Box 2 - LM x Box 2,40	<b>EL2C</b>	<b>EL2D</b>	<b>EL2E</b>	● <b>A82</b>			
	<b>Tecnica R11 Rett.</b> 33x120 - 12 <sup>5/16</sup> x47 <sup>1/4</sup> Pos. Box 2 - LM x Box 2,40	<b>EL2K</b>	<b>EL2L</b>	<b>EL2M</b>	● <b>A82</b>			
 Gradone Naturale - Step	<b>Naturale 10 Rett.</b> 33x120x3,2x3,2 12 <sup>5/16</sup> x47 <sup>1/4</sup> x1 <sup>1/4</sup> x1 <sup>1/4</sup> Pos. Box 2 - LM x Box 2,40	<b>EL2S</b>	<b>EL2T</b>	<b>EL2U</b>	● <b>A98</b>			
	<b>Tecnica R11 Rett.</b> 33x120x3,2x3,2 12 <sup>5/16</sup> x47 <sup>1/4</sup> x1 <sup>1/4</sup> x1 <sup>1/4</sup> Pos. Box 2 - LM x Box 2,40	<b>EL2Z</b>	<b>EL30</b>	<b>EL31</b>	● <b>A98</b>			
 Angolare Dx   Sx Corner Tile Right   Left	<b>Naturale 10 Rett.</b> 33x120x3,2x3,2 12 <sup>5/16</sup> x47 <sup>1/4</sup> x1 <sup>1/4</sup> x1 <sup>1/4</sup> Pos. Box 1 - LM x Box 1,20	Dx Right <b>EL36</b>	Sx Left <b>EL3M</b>	Dx Right <b>EL37</b>	Sx Left <b>EL3N</b>	Dx Right <b>EL38</b>	Sx Left <b>EL3P</b>	● <b>A104</b>
	<b>Tecnica R11 Rett.</b> 33x120x3,2x3,2 12 <sup>5/16</sup> x47 <sup>1/4</sup> x1 <sup>1/4</sup> x1 <sup>1/4</sup> Pos. Box 1 - LM x Box 1,20	Dx Right <b>EL3E</b>	Sx Left <b>EL3U</b>	Dx Right <b>EL3F</b>	Sx Left <b>EL3V</b>	Dx Right <b>EL3G</b>	Sx Left <b>EL3W</b>	● <b>A104</b>

	Dimensione Size				Fascia di prezzo Price band			
 Battiscopa - Skirting	<b>Naturale 10 Rett.</b> 7x60 - 2 <sup>3/4</sup> x23 <sup>5/8</sup> Pos. Box 15 - LM x Box 9,00	Grey <b>EL20</b>	Sky Blue <b>EL21</b>	Anthracite <b>EL22</b>	● <b>A11</b>			
 Gradino - Stair Tread	<b>Naturale 10 Rett.</b> 33x120 - 12 <sup>5/16</sup> x47 <sup>1/4</sup> Pos. Box 2 - LM x Box 2,40	<b>EL2F</b>	<b>EL2G</b>	<b>EL2H</b>	● <b>A82</b>			
	<b>Tecnica R11 Rett.</b> 33x120 - 12 <sup>5/16</sup> x47 <sup>1/4</sup> Pos. Box 2 - LM x Box 2,40	<b>EL2N</b>	<b>EL2P</b>	<b>EL2Q</b>	● <b>A82</b>			
 Gradone Naturale - Step	<b>Naturale 10 Rett.</b> 33x120x3,2x3,2 12 <sup>5/16</sup> x47 <sup>1/4</sup> x1 <sup>1/4</sup> x1 <sup>1/4</sup> Pos. Box 2 - LM x Box 2,40	<b>EL2V</b>	<b>EL2W</b>	<b>EL2X</b>	● <b>A98</b>			
	<b>Tecnica R11 Rett.</b> 33x120x3,2x3,2 12 <sup>5/16</sup> x47 <sup>1/4</sup> x1 <sup>1/4</sup> x1 <sup>1/4</sup> Pos. Box 2 - LM x Box 2,40	<b>EL32</b>	<b>EL33</b>	<b>EL34</b>	● <b>A98</b>			
 Angolare Dx   Sx Corner Tile Right   Left	<b>Naturale 10 Rett.</b> 33x120x3,2x3,2 12 <sup>5/16</sup> x47 <sup>1/4</sup> x1 <sup>1/4</sup> x1 <sup>1/4</sup> Pos. Box 1 - LM x Box 1,20	Dx Right <b>EL39</b>	Sx Left <b>EL3Q</b>	Dx Right <b>EL3A</b>	Sx Left <b>EL3R</b>	Dx Right <b>EL3C</b>	Sx Left <b>EL3S</b>	● <b>A104</b>
	<b>Tecnica R11 Rett.</b> 33x120x3,2x3,2 12 <sup>5/16</sup> x47 <sup>1/4</sup> x1 <sup>1/4</sup> x1 <sup>1/4</sup> Pos. Box 1 - LM x Box 1,20	Dx Right <b>EL3H</b>	Sx Left <b>EL3X</b>	Dx Right <b>EL3J</b>	Sx Left <b>EL3Y</b>	Dx Right <b>EL3K</b>	Sx Left <b>EL3Z</b>	● <b>A104</b>

Pezzi speciali 20 mm su richiesta. - 20mm trims available on request. - Pièces spéciales 20mm (sur demande). - Formteile 20mm auf anfrage erhältlich.  
Piezas especiales 20mm disponibles bajo pedido. - Специальные изделия 20mm по запросу.

Porcelain Tiles  
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL  
ANSI A137.1 - CLASS P1

**CARATTERISTICHE TECNICHE**

Technical Features - Caracteristiques Techniques - Technische Eigenschaften  
Technische Eigenschaften - Caracteristicas Tecnicas - Технические Характеристики

**NORMA**

Standard - Norme  
Norm - Norma - Norma

**VALORI**

Value - Valeur  
Vorgabe - Valor - Средние

 <b>ASSORBIMENTO D'ACQUA</b> Water absorption - Absorption d'eau - Wasseraufnahme Absorción de agua - Поглощение воды	UNI EN ISO 10545/3 ASTM C373	CONFORME COMPLIANT	
 <b>RESISTENZA ALLA FLESSIONE</b> Modulus of rupture - Resistance a la flexion - Biegefestigkeit Resistencia a la flexion - Прочность на изгиб	SPESSORE UNI EN ISO 10545/4	<b>9,5 mm</b> ≥ 45 N/mm <sup>2</sup> <b>20MM</b> ≥ 45 N/mm <sup>2</sup>	
 <b>FORZA DI ROTTURA</b> Breaking strength - Résistance à la rupture - Bruchlast Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4 ASTM C648	≥ 1300 N ≥ 250 lbf ≥ 12000 N ≥ 2500 lbf	
 <b>RESISTENZA AL GELO</b> Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12 ASTM C1026	CONFORME UNAFFECTED	
 <b>RESISTENZA CHIMICA</b> <b>AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI</b> Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13 ASTM C-650	A - LA - HA UNAFFECTED	
 <b>RESISTENZA ALLE MACCHIE</b> Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14 ASTM C1378	5 Class A	
 <b>COEFFICIENTE DI ATTRITO</b> Slip resistance Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio Коэффициент трения	UNI EN ISO 10545/14 DIN EN 16165 Annex B DIN EN 16165 Annex A ANSI A326.3:2017 DCOF B.C.R.A. D.M. N. 236 14/6/89 AS 4586-2013 Anexo A BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers UNE 41901:2017 EX DB SUA (actual)	<b>NATURALE</b> R10 B (A+B) WET ≥ 0,50 > 0,40 P3 > 36 Low Slip potential 2	<b>TECNICA - 20MM</b> R11 C (A+B+C) WET ≥ 0,65 > 0,40 P4 > 36 Low Slip potential 3

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ulteriores informaciones sobre los datos tecnicos y la garantia, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.



PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/CGG UL 2818



放射性水平A类



25% 20MM  
15% 9,5 mm  
valori medi - average values



Formato Size Format Format Тamaño Формат cm	Spessore Thickness Epaisseur Stärke Espesor Толщина mm	Pz. x Mq. Pieces x Sqm Pcs / M <sup>2</sup> Stk. x Qm Pzs x Mc. Шт x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт x Кор.	Mq. x Scat. Sqm x Box M <sup>2</sup> / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. Weight x Box Poids / Bte Gewicht x Krt. Peso x Caja Вес x Кор. Kg	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M <sup>2</sup> / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. Weight x Pal. Poids / Pal. Gewicht x Pal. Peso x Pal. Вес x Подд. Kg
60x120 Naturale R10 - Tecnica R11	9,5	1,39	2	1,440	31,68	36	51,84	1140
60x60 Naturale R10 - Tecnica R11	9,5	2,78	3	1,080	23,76	40	43,20	950
30x60 Naturale R10 - Tecnica R11	9,5	5,56	6	1,080	23,76	48	51,84	1140
Multi Prestige Nat. R10 - Tecnica R11	9,5	-	9	0,720	15,84	36	25,92	570
60x120 Dec. Splitstone Naturale R10	9,5	1,39	2	1,440	31,68	36	51,84	1140
30x60 Dec. Splitstone Naturale R10	9,5	5,56	5	0,900	19,80	48	43,20	950
30x60 Listelli sfalsati Naturale R10	9,5	5,56	4	0,720	15,80	30	21,60	474
30x30 Mosaico 3X3 Naturale R10	9,5	11,11	5	0,450	8,73	60	27,00	524
60x120 20MM Naturale R11	20	1,39	1	0,720	33,12	36	25,92	1192